



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES,
FOR WEEK ENDED AUGUST 26, 1911.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.														
Baltimore, Md.	558,485	181	13	1	14	1	6	0	22	31	89	4	1	1
Boston, Mass.	670,585	205	29	1	14	1	18	0	37	13	19	1	1	1
Chicago, Ill.	2,185,283	569	67	12	7	1	48	3	143	53	39	8	1	8
Cleveland, Ohio.	560,663	156	28	4	13	33	4	31	10	22	2	4	2	2
New York, N. Y.	4,766,883	1,339	183	19	126	9	71	6	443	145	143	31	43	31
Philadelphia, Pa.	1,549,008	464	3	3	5	6	1	34	14	34	6	7	7	7
St. Louis, Mo.	687,029	174	12	5	6	1	34	14	34	6	7	7	7	7
Cities having from 300,000 to 500,000 inhabitants.														
Buffalo, N. Y.	423,715	149	20	2	2	4	25	1	25	13	15	6	1	6
Cincinnati, Ohio.	364,463	118	7	1	5	2	2	1	40	18	3	1	1	1
Los Angeles, Cal.	319,198	104	2	1	2	2	2	2	11	19	12	4	2	2
Milwaukee, Wis.	373,857	94	13	4	3	4	4	7	7	3	4	2	2	2
Newark, N. J.	347,469	109	13	1	1	2	2	14	11	5	2	2	2	2
New Orleans, La.	339,075	120	6	4	4	17	2	25	17	11	1	1	1	1
San Francisco, Cal.	416,912	96	4	24	2	2	2	18	10	5	1	1	1	1
Washington, D. C.	331,069	118	2	5	10	11	15	13	2	2	2	2	2	2
Cities having from 200,000 to 300,000 inhabitants.														
Jersey City, N. J.	267,779	81	1	1	3	12	8	3	1	1	1	1	1	1
Kansas City, Mo.	248,381	77	8	6	1	2	7	11	3	1	1	1	1	1
Providence, R. I.	224,326	55	1	1	3	2	9							
St. Paul, Minn.	214,744	1	1	3	2	9								
Seattle, Wash.	237,194	1	1	3	2	9								
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	25	9	1	2	2	3	4	2	4	2	4	2	2
Cambridge, Mass.	104,839	20	1	1	2	5	1	1	2	5	1	1	1	1
Columbus, Ohio.	181,548	40	1	1	2	5	1	1	2	5	1	1	1	1
Dayton, Ohio.	116,577	32	1	1	1	1	1	1	3	3	5	1	1	1
Fall River, Mass.	119,295	41	1	1	1	1	1	1	3	3	5	1	1	1
Grand Rapids, Mich.	112,571	33	1	1	1	1	1	1	3	3	5	1	1	1
Lowell, Mass.	106,294	25	3	1	1	1	1	1	3	3	5	1	1	1
Nashville, Tenn.	110,364	26	6	1	1	1	1	1	3	3	5	1	1	1
Omaha, Nebr.	124,096	23	6	1	1	1	1	1	3	3	5	1	1	1
Spokane, Wash.	104,402	23	6	2	1	4	3	2	7	8	3	1	1	1
Toledo, Ohio.	168,497	48	6	2	1	5	3	2	7	8	3	1	1	1
Worcester, Mass.	145,986	36	7	2	1	4	3	2	7	8	3	1	1	1
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	17	1	1	1	2	1	1	2	1	1	1	1	1
Bayonne, N. J.	55,545	22	1	1	1	2	1	1	2	1	1	1	1	1
Brockton, Mass.	56,878	11	1	1	1	2	1	1	2	1	1	1	1	1
Camden, N. J.	94,538	10	1	1	1	1	1	1	2	1	1	1	1	1
Covington, Ky.	53,270	18	1	1	1	1	1	1	2	1	1	1	1	1
Duluth, Minn.	78,466	8	2	1	1	1	1	1	2	1	1	1	1	1
Evansville, Ind.	69,647	25	3	1	1	1	1	1	3	1	1	1	1	1
Harrisburg, Pa.	64,186	27	3	1	1	1	1	1	3	1	1	1	1	1
Hartford, Conn.	98,915	23	3	1	1	1	1	1	3	1	1	1	1	1
Hoboken, N. J.	70,324	28	5	1	1	1	1	1	3	1	1	1	1	1
Houston, Tex.	78,800	24	1	1	1	1	1	1	2	1	1	1	1	1
Jacksonville, Fla.	57,699	18	2	1	1	1	1	1	2	1	1	1	1	1
Johnstown, Pa.	55,482	40	2	1	1	1	1	1	4	1	1	1	1	1
Lawrence, Mass.	85,892	17	1	1	1	1	1	1	2	1	1	1	1	1
Lynn, Mass.	89,336	20	1	1	1	1	1	1	2	1	1	1	1	1
Manchester, N. H.	70,063	48	2	1	2	1	1	1	4	1	1	1	1	1
New Bedford, Mass.	96,652	17	2	1	3	1	1	1	4	1	1	1	1	1
Oklahoma City, Okla.	64,205	13	2	1	3	1	1	1	4	1	1	1	1	1
Passaic, N. J.	54,773	18	5	1	1	1	1	1	4	1	1	1	1	1
Reading, Pa.	96,071	18	5	1	1	1	1	1	4	1	1	1	1	1

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended August 26—
Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.														
San Antonio, Tex.	96,614	29	1				2				6		9	2
Schenectady, N. Y.	72,826	18					1				2		2	
South Bend, Ind.	53,684	20	1	1							2	1		1
Springfield, Ill.	51,678	10	1	1			1				2		3	
Springfield, Mass.	88,926	24	2		1						3	1		
Terre Haute, Ind.	58,157	15	2											1
Trenton, N. J.	96,815	24	5								7	3	6	3
Wilkes-Barre, Pa.	67,105	18	3										3	1
Wilmington, Del.	87,411	21									2			
Yonkers, N. Y.	79,803	22			3		4				3		1	1
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150	16	1										3	
Auburn, N. Y.	34,668	21	1								1			
Aurora, Ill.	29,807	12					1							
Binghamton, N. Y.	48,443	15	1		3						2			
Brookline, Mass.	27,792	4	1								1		1	
Butte, Mont.	39,165	30	1								1	2		
Chelsea, Mass.	32,452	13	1		1						2		1	
Chicopee, Mass.	25,401	12					3				2	1	3	
Danville, Ill.	27,871	14	1				1				4	4		
East Orange, N. J.	34,371	7									2		1	
Elmira, N. Y.	37,176	7	2		1								1	
El Paso, Tex.	39,279	25					5		3		1	5	4	2
Everett, Mass.	33,484	5	1		1						1	1		
Haverhill, Mass.	44,115	8	1								2			
Hazleton, Pa.	25,452				1								1	
Kalamazoo, Mich.	39,437	8									1		2	
Knoxville, Tenn.	36,346	7									2		1	1
La Crosse, Wis.	30,417	7	1									1		
Lancaster, Pa.	47,227	12	2		1						2	1		
Lima, Ohio.	30,508	8	1		1		1						1	
Lynchburg, Va.	29,494	9	2				2				2		7	1
Malden, Mass.	44,404	8	1		1		1						2	
McKeesport, Pa.	42,694	10					2				2	3		
Montgomery, Ala.	38,136	25	6				3				1	1	1	1
Mount Vernon, N. Y.	30,919				2						1			
Newcastle, Pa.	36,280		11				1						1	
Newport, Ky.	30,309	11	1				1				1	1	1	1
Newton, Mass.	39,806	8									1			
Niagara Falls, N. Y.	30,445	10	1										3	1
Norristown, Pa.	27,875	13			2		1					1	3	
Orange, N. J.	29,680	8	2									2		
Pasadena, Cal.	30,291	5	1								1			
Pittsfield, Mass.	32,121	12	1				1							1
Portsmouth, Va.	33,190	8					3							
Racine, Wis.	38,002	9	1									2		
Roanoke, Va.	34,874	7	1								1		12	
Rockford, Ill.	45,401	24							2		1	3	1	
Salem, Mass.	43,697	21	1	1	1		3				1	1		
San Diego, Cal.	39,578	21					2				4	4	1	
South Omaha, Nebr.	26,259	7									1	1		
Superior, Wis.	40,384	9	2											
Taunton, Mass.	34,259	16	3	1							1			
Waltham, Mass.	27,834	7					1					1		
West Hoboken, N. J.	35,403	3												
Wheeling, W. Va.	41,641	10	1		1						4	1	1	
Williamsport, Pa.	31,860	8			2						1			
Cities having less than 25,000 inhabitants.														
Ann Arbor, Mich.	14,817	9			1									
Bennington, Vt.		2												
Braddock, Pa.	19,357	5												
Butler, Pa.	20,728	2	3								5		4	

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended August 26—Continued.

Cities.	Popula- tion, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Ty- phoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Continued.</i>														
Cambridge, Ohio.....	11,327	6									1	1	1	
Camden, S. C.....		2											1	
Carbondale, Pa.....	17,040	11					1							
Clinton, Mass.....	13,075	4	2											
Columbus, Ga.....		8												
Columbus, Ind.....		3									1			
Concord, N. H.....	21,497	14										1		
Cumberland, Md.....	21,839	7									4		14	
Dunkirk, N. Y.....		7					1	1						
Galesburg, Ill.....	20,089	2												
Gloucester, Mass.....	24,308	9												
Greensboro, N. C.....	15,895	8			1								3	
Harrison, N. J.....	14,498	4			1									
Hyde Park, Mass.....	15,507	4									1			
La Fayette, Ind.....	12,081	4										1		
Lebanon, Pa.....	19,240				1									
Marinette, Wis.....	14,610	3												
Marlboro, Mass.....	14,579	5											1	
Massillon, Ohio.....	13,879	0	2											
Medford, Mass.....	23,150	4	1											
Melrose, Mass.....	15,715	6												
Moline, Ill.....	24,199	9	1				3					1	13	
Montclair, N. J.....	21,150	7										1		
Morristown, N. J.....	12,507	5					1					1	2	
Mount Vernon, N. Y.....					2						1			
Nanticoke, Pa.....	18,827	3												
Newbury, Mass.....	19,949	4									2		1	
North Adams, Mass.....	22,019	7												
Northampton, Mass.....	19,431	12	1	1										
Ottumwa, Iowa.....	22,012	8					4						3	
Palmer, Mass.....		5												
Pekskill, N. Y.....		12	3								1	1	2	
Pottstown, Pa.....		4											6	
Rutland, Vt.....		4												
Saratoga Springs, N. Y.....		7										1		
South Bethlehem, Pa.....	19,473	11											1	
Steelton, Pa.....	14,246	2	4				1				1			
Wilksburg, Pa.....	11,080	5					1						1	
Woburn, Mass.....	15,308	7	1		1							2		

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES OF THE UNITED STATES (untabulated)

COLORADO—*Colorado Springs*.—Month of April, 1911. Population, 29,078. Total number of deaths from all causes 36, including tuberculosis 18. Cases reported: Measles 8, scarlet fever 5, smallpox 1, typhoid fever 2.

Month of May, 1911. Total number of deaths from all causes 39, including tuberculosis 16. Cases reported: Diphtheria 1, measles 10, scarlet fever 20, smallpox 5.

Month of June, 1911. Total number of deaths from all causes 40, including tuberculosis 16, typhoid fever 1. Cases reported: Measles 4, scarlet fever 11, smallpox 2, typhoid fever 4.

FLORIDA.—Week ended August 26, 1911. Reports from the State board of health show diphtheria present at 2 localities with 4 cases,